

## SINGLE SIDED LADDER WINSTON

Item Code	Steps	Height		Weight	
		mm	inch	Kg	lbs
SS04	4	1016	40	3.0	6.6
SS05	5	1270	50	3.5	7.7
SS06	6	1524	60	4.3	9.5
SS07	7	1778	70	5.2	11.5
SS08	8	2032	80	5.9	13.0
SS09	9	2286	90	6.7	14.8
SS10	10	2540	100	7.4	16.3
SS11	11	2807	110.5	8.6	19.0
SS12	12	3061	120.5	9.4	20.7
SS14	14	3569	140.5	11.3	24.9
SS16	16	4077	160.5	15.0	33.1



Non-slip shoes on all four feet provide grip on the floor.

- Available in many sizes from 4 to 20 steps.
- Economical model for general application.
- Wide non-slip steps provide comfort and stability.
- Natural Anodized for durability.



## DOUBLE SIDED LADDER

Item Code	Steps	Height		Weight	
		mm	inch	Kg	lbs
DS04	4	1016	40	3.1	6.8
DS05	5	1270	50	3.8	8.4
DS06	6	1524	60	4.7	10.4
DS07	7	1778	70	5.4	11.9
DS08	8	2032	80	6.4	14.1
DS09	9	2286	90	7.3	16.1
DS10	10	2540	100	8.1	17.9
DS11	11	2807	110.5	9.7	21.4
DS12	12	3061	120.5	10.6	23.4
DS14	14	3569	140.5	11.5	25.4
DS16	16	4077	160.5	12.4	27.3



As a convenient tool rest area.

- Available in many sizes from 4 to 20 steps.
- Identical front and back sections allow access from each side.
- Wide flat top good for tool rest.
- Natural Anodized for durability.



## DUAL-PURPOSE LADDER

Item Code	Steps	Full Length		Folded Length		Weight	
		mm	inch	mm	inch	Kg	lbs
WDP03	6	1588	62.5	788	31.4	5.0	11.0
WDP04	8	2108	83.0	1058	41.7	5.8	12.8
WDP05	10	2628	103.5	1318	51.8	6.7	14.6
WDP06	12	3148	123.9	1560	61.4	7.6	16.8
WDP07	14	3663	144.4	1838	72.4	8.5	18.7
WDP08	16	4188	164.9	2088	82.6	9.4	20.7



Easily converted into a straight ladder.

- Available in 6 to 16 steps.
- Safety lock and release clip prevent brackets dislocating.
- Can be used both as leaning ladder or self-standing ladder.
- Slip resistant rubberized feet.



## SINGLE SIDED (Heavy Duty) LADDER

Item Code	Steps	Height		Weight	
		mm	inch	Kg	lbs
HD4	4	1016	40	3.45	7.60
HD5	5	1270	50	4.1	9.02
HD6	6	1524	60	5	11.0
HD7	7	1778	70	6.3	13.9
HD8	8	2032	80	6.7	14.7
HD9	9	2286	90	7.7	17.0
HD10	10	2540	100	8.5	18.7
HD11	11	2807	110.5	10.3	22.7
HD12	12	3061	120.5	10.7	24.0
HD14	14	3569	140.5	12.4	27.3
HD16	16	4077	160.5	16.3	35.9



Non-slip shoes on all four feet provide grip on the floor.

- Available in many sizes from 4 to 20 steps.
- Economical model for general application.
- Wide non-slip steps provide comfort and stability.
- Attractively power coated and durable.





# Multi-Purpose Aluminium Folding Ladders WINSTON

MODEL	HINGE	RUNG N.	HEIGHT AS STRAIGHT LADDER	TOP RUNG HEIGHT AS TRESTLE LADDER	HEIGHT AS WORKING STAGE	HEIGHT FOLDED	APPROX WEIGHT
AL-3080	6	2 X 4	8.5FT 2.6M	4.2FT 1.14M	2.4FT 0.73M	2.4FT 0.73M	10kg
AL-3100	6	2 X 4	10.5FT 3.2M	5.2FT 1.60M	2.9FT 0.87M	2.9FT 0.87M	12kg
AL-3120	6	2 X 4	12.5FT 3.8M	6.1FT 1.70M	3.4FT 1.04M	3.4FT 1.04M	13kg
AL-3140	6	2 X 4	14.5FT 4.4M	7.2FT 2.00M	3.9FT 1.20M	3.9FT 1.20M	14kg
AL-3160	6	2 X 4	16.5FT 5.0M	8.0FT 2.30M	4.4FT 1.34M	4.4FT 1.34M	15kg
AL-3180	6	4 X 2 5 X 2	18.5FT 5.6M	9.0FT 2.65M	5.4FT 1.63M	5.4FT 1.63M	17kg
AL-3200	6	2 X 4	20.5FT 6.2M	9.9FT 3.00M	5.4FT 1.63M	5.4FT 1.63M	18kg

## Safety Instructions

at Winston, we make safe ladders.....

## We Also Specialist In Making Custom-Made Ladder

(Such as HEAVY DUTY DOUBLE SIDED LADDER WALTER TON LADDER and etc)

.....but only you can make ladders safe.

Even a rigidly constructed ladder can be involved in an accident if the proper cautions are not taken in its use. Critical factors in safe use include reading all instructions and labels accompanying the ladder.



### PROPER SELECTION

- Select ladder of proper duty rating to support combined weight of user and materials.
- Select ladder of proper length to safely reach desired height.

### Inspection Before Each Use

- Inspect thoroughly for missing or damaged components. Never use a damaged ladder and never make temporary repairs.
- Inspect thoroughly for loose fasteners. Make sure all working parts are in good working order (lubricate if necessary).
- Clean ladder of all foreign materials (wet paint, mud, snow grease, oil, etc.)
- Destroy ladder if damaged, worn, or exposed to fire or chemicals.

### Consider Before Each Use

- Metal ladders conduct electricity. Keep away from electrical circuits.
- Consult manufacturer for use in chemical or other corrosive environments.
- Use ladder only as outlined in instructions. Ladders are designed for one person only. Do not overload.
- Do not use in high wind or during storm.
- Do not use in poor health, if taking any medications or alcoholic beverages, or if physically handicapped.
- Keep Shoes Clean. Wear shoes with non-slip soles.
- Never leave ladder set up and unattended.
- Pay close attention to what you are doing.

### Proper Care and Storage

- Store ladder in safe and dry place.
- Never store materials on ladder.
- Never drop or apply an impact load to ladder.
- Securely support ladder in transit.
- Keep ladder clean and free of all foreign materials.

Distributed by: